mjd version 1.1 23.Oct.2021

# [A]

A few relevant abstracts and summaries

#### [1]

# Disruption of Autonomic Control Functions through Informational Storm Events Triggered by Chronic Sustained Stressor Agents

We examine the balance between sympathetic and parasympathic control networks and the effects of deregulation brought on by chaotic signal conflict and a "double bind" bifurcation syndrome, contributing to noise and informational heat dissipation. This complex of conflicting and negating signal action compounds a signal weakness effect that operates at the level of energy transfer propagated as biosolitons through protein chains, in turn affecting adversely protein conformational dynamics and the geometrical behavior of DNA helical structures within protein sheaths. Further, we explore the role of both neurochemical and bioelectromagnetic stressor agents as the principal class of factors responsible for the mechanics of such neurosystem disruption. We introduce an explanation for the biophysics by which such stressors directly and adversely affect biosoliton signal propagation in proteins and nucleic acids, demonstrating a causal path from such stressors (both external stimuli and internal psychological triggers) to what can be termed "informational storms" within the autonomic neural networks. Such storms, analogous to cytokine storms within the context of infectious disease, encode and reinforce cycles of behavior including the emergence of chronic positive feedback loops related to the informational storm events and signal weakness effects. We explore how these cyclical, "chreode-like" formative processes thereby create and reinforce epigenetic effects of activation and deactivation for particular immediate-early expression genes that are centrally responsible for control of both FF (fight-or-flight) and RR (relaxation response) systemic behaviors, principally through regulation of cortisol and DHEA metabolism and homeostasis. We further argue that the long-term deregulation and loss of efficient signaling, and the positive feedback loops that result, is a strong model for explanation of the neurodynamics involved in a number of disorders of the autonomic nervous system, leading to significant pathologies of the cardiovascular, gastrointestinal and endocrine systems. We claim that a combination of psychological and physiological behaviors, supported by appropriate pharmacological agents but strongly resting upon techniques including exercises to develop conscious control of several generally-considered autonomic functions, can lead to long-term control that dampens and subdues the signal weakness and informational storm phenomena sufficiently to reverse the observed positive feedback loops and create an effective pathway to reduce the overall dysautonomic behaviors.

#### [2]

# Topological Connectome and the Etiology of Neurodegenerative and Neurorestorative Processes with implications for Autoimmune Disease and Traumatic Injury

M Dudziak, E Deli

#### Abstract

The 50 Brodmann areas of the cerebral cortex is divided into around 500 smaller cortical patches, made up of macro columns, mini-columns, layers, and finally neurons. A fractal structure is characteristic of both the structural and functional organization of the brain. While active neurons give rise to extracellular fields, feedbacks to the neurons can alter their behavior, even without a physical connection between the neurons. Changing the synaptic weight between neurons changes the global character of the neural system, the ability to respond to future stimuli. Many levels of feedback loops, such as the cortico-thalamic loop, give rise to a complex regulation. At every organizational level, the topology of the electric activities is characteristic of the neuronal regulation and complexity. Network topology measures represent the best computational method for the grading of levels of consciousness [1]. Memory loss in dementia contributes to disorientation in space, time, and identity, leading to insecurity, and anxiety, which only intensify cognitive disturbances. For example, repetitious thoughts indicate susceptibility to anxiety, and depression. In multiple sclerosis, Parkinson's, Alzheimer's, and other psychological and interpersonal disorders, disturbances in spatial orientation have also been noted [2,3]. Disturbances in navigation altered neurogenesis and significantly reduced neural stem cell production [4], indicating the close relationship between conceptual and spatial deficiencies. The possible connection between spatial deficiencies and topological alterations might offer early diagnostic markers and novel targets for mental diseases.

#### [3]

# Topological Information Processes in Viral-Host Interaction and Membrane Penetration: common natural biocomputation processes underlying certain contagious and autoimmune diseases and adaptive mutation

M Dudziak, E Deli, G Vattay, O Ori, D Sabov

#### Abstract

A model incorporating principles of topological order and efficiency shows utility for demonstration of a mechanism present in both viral entries for certain agents including coronavirus, influenza and filovirus types such as ebola, and also in non-infectious disorders and diseases associated with autoimmune reactions, particularly within the brain and central nervous system. This process can be described as a type of natural biocomputation involving extensive molecular surfaces. It appears to fit with observations of surface protein changes within viral envelopes and primary structures involved in entry to target host cells, and it involves an iterative changes within viral protein conformation and surface topography that can be associated with underlying mutations within the viral strain. Similar processes appear to be present in the phenomenologically distinct and non-viral initial inflammatory stages of neurons affecting axons, both myelin sheaths and interior microtubule chains, leading to neuronal degeneration that triggers subsequent normative engagement of the immune system response. The apparent computational process is similar to certain non-Turing quantum computing models and leads to consideration of an underlying common mechanism within certain biological structures that involves the interaction among non-smooth manifolds and the optimization of surface-fitting that is consistent with Ricci Flow models for deformation and maintainability of topological consistency.

#### [4]

# Impact of Environmental, Ecological, and Socioeconomic Changes in Early 21<sup>st</sup> Century on Viral and other Microbiological Disease, Epidemiology, Public Health Response and the Pharmaceutical Development Practices

## Preface

We will show the underlying causes for why recent (2002+, particularly) epidemics and pandemics have decisively different characteristics that bear important, even critical, consequences for human health and social stability. In so doing we will show certain relationships active between such phenomena as viral mutation, new infectious vectors, novel routes and accelerations of transmission, higher virulence and the general-population disposition to more severe complications in personal and social health management for certain infectious diseases. We will show connectivity between hemifusion, endocytosis and other forms of viral entry, viral replication, consequent systemic overreactions including cytokine storm inflammation, and also connectivity and common elements between these pathogenic processes and certain foundations for autoimmune reactions and related pathologies in signaling, communication and recognition that lead to autoimmune reactions and prolonged cellular component degradation in both neural and non-neural cellular types. We will describe how certain fundamental processes are biomolecular manifestations of a generalizable type of non-Turing computational paradigm, one which can be employed in both models, simulations and the design of corrective therapies, including pharmacological design and implementation, and also in an architecture for synthetic computation algorithms and machines designed and constructed along principles similar to those employed within the biology of viruses, bacteria, cells, and complex multicelled organs and autonomous-behaving organisms.

Within this is clearly a well-defined place and pathway for the other research initiatives and projects which actually provide the foundations for what is going into these works – namely, everything concerning what we abbreviate as RTD, TBD, ICMC, and also GCM.

# **The Initial Presentation**

Changes Afoot in the Kingdom: New Epidemiological Dynamics - the Confluence of Climate, Socieconomics, and Global Patterns upon Future Drug Discovery, Design, Testing, Trials and Implementation

M Dudziak R Roman E Deli R Csencsits (others TBD)

Abstract

Several very closely coupled behavioral changes on international, transcontinental and global scales have converged within recent decades, all of which involve greater movement, displacement and interfacing of different species of organisms which include humans, livestock breeding animals, and a variety of microorganisms that have high potential for infectious disease. These changes are closely coupled with population rise and density in close-habitation urban metropolis regions, greater affluence and resulting travel, both short-range frequent commuter distances and long-range commercial and leisure travel, especially by air. This set of changes in the underlying ecosystem and in socioeconomic patters can be linked to an increased variety and virulence within certain infectious disease agents. The overall changes are unpredicted and unexpected in most current models influencing healthcare planning and in particular public health including epidemiological management, that have emerged within the current two decades. These encompass and bring together mutual effects and often nonlinear impacts, attributable to the new dynamics of climate change, agriculture and food industry, transportation of good and movement of people, as well as interpersonal proximity, contact and exchange of personal physical media. The consequences are enormous for not only basic epidemiological models and response to epidemic and pandemicpotential infectious diseases, but also the fundamental models, systems, regulations and actual practices involved in drug research and discovery, design, testing and trials and product introduction and implementation within both institutional and private uses. We introduce some of the observed factors, relations and consequences, and we identify new pathways by which the medical establishment – public and private – including the pharmaceutical industry as a community – can more effectively prepare and establish the type of resilience necessary for reducing the personal and socioeconomic destructive impacts of epidemic and pandemic outbreaks, while simultaneously advancing the overall health of all segments and diversities of the global population.

> So, as Henry V said to his army a few years back --"The game's afoot: Follow your spirit..."

[5]

#### Quantum Biology, Cellular Communications, Genetic Control, Disease, Injury, Disorder, Aging

A brief memo

M. J. Dudziak, PhD IIS 27.June.2016

The processes by which a complex living organism (e.g., human) reacts to acute injury (including severe tissue trauma and damages from infection including inflammation) are not dissimilar to processes (functions) that pertain to other forms of severe biosystem stress including disorders and diseases such as cancer, cardiovascular disease, fatigue, and most broadly and open-ended of all, the processes of aging.

These processes – both negative (debilitating) and positive (healing) - involve chemical and electromagnetic interactions that influence, among other things, gene activation and the intercellular signaling that is mediated by molecules know as exosomes.

These processes involve multiple levels of molecular, intercellular, and regional tissue relationships and communications. Central and fundamental is a phenomenon that is loosely termed quantum entanglement (QE; also coherent quantum entanglement resonance, CQER), and the experimental evidence is now emerging to match the theoretical models. QE occurs within nucleic acids (e.g., DNA) and proteins, but at different scales. At one level, it involves coherence between segments of DNA that are responsible for variations in how DNA folds and shapes itself as a long "string" and this in turn has a role in the control of gene activation.

One of the phenomena of special interest is that which involves generation and transmission of intercellular signals through molecules known as exosomes. Such molecules execute important communications from one region of the body to another and there are extensive research findings which demonstrate the role of exosomes in the body's self-healing process.

We begin to believe and assert that there are ways to influence these processes using a variety of stimuli besides those which involve chemical agents (drugs), stem cell treatments, or invasive surgeries. Such stimuli may act as catalysts, accelerators, and enhancers for pharmaceutical, stem cell, and other medical treatments, and in some cases they may be sufficient or preferable as therapies without other procedures such as drugs and external agents, or surgical procedures.

The theoretical models and the emerging experimental evidence include the results of clinical studies - in particular within the domains of neurodegenerative disease and neurorestorative therapies (e.g., for conditions such as stroke, traumatic brain injury, and cognitive disorders such as Alzheimer's). The models and experiments indicate the realistic possibility of developing systematic treatments with value for multiple aspects of healthcare - prevention, deceleration, and palliative treatment for different diseases, and also restoration of various healthy functions. Such therapeutic methods promise to be attractive medically from the standpoints of having low complexity, risk, cost, and high value for the patient.

In summary, the living organism is resilient and has plasticity, adaptability, and the power to restore balance, equilibrium, and wellness, more than we have estimated previously. The basis for this systematic power is in great part rooted in highly integrated systems of intercellular signaling and communication. These systems are implemented through both chemical signaling agents such as exosomes and by bioelectromagnetic fields. Together, such fields and signal transmissions interact with intracellular structures and ultimately affect the activation and deactivation of genetic information sequences in DNA. This process is believed to be effected within cells through the medium of very basic biophysical mechanisms that involve molecular-scale quantum entanglement, as well as fundamental physical mechanisms known as solitons and phonons.

This new direction of basic research and applied medical technology holds promise for how we can address a number of diseases and disorders (such as those previously mentioned) and for reducing and even to some extent reversing – in substantive and lasting ways - the effects of such disorders upon patients who have suffered from such conditions. The implications of this molecular and cellular biology for practical medicine and healthcare are potentially immense and offer promises for new treatments for major diseases, disorders, injuries, and for creatively addressing aspects of slowing the process of aging.

#### [6]

# Generalized Heterogeneous Computing Machine – Quantum Non-Turing Computing based upon Biology and the Brain

M. Dudziak, O. Granichin

#### Abstract

This report presents the fundamental architecture of the GCM (hardware and software), a design for a computing system encompassing topological cortical columns using physical microdevices and circuits and incorporating simultaneous perturbation stochastic approiximation (SPSA) models. The architecture employs PPC (protein (peptide) polymer conjugates), conformally arranged, in topological ordering that on the macro scale resembles origami, quipu and other knotted string-like structures, within graphene layers for conductive logic and for i/o connectivity to "heterogeneous" Turing-machine computing devices (bit-based and qubit-based). The implementation of this architecture involves multi-material multi-layer 3D printing (graphene, silicon, metals, and PPC).

The primary logic employed within the GCM is derived from network dynamics of the neural connectome and involves the autonomous formation of resonant patterns of activation and deactivation with topological deformations, employing SPSA and the emergence of chreodic topological features that maintain persistence over time and are "eigenstructured" topologies, resistant to variations in spatial deformations and resistant to noise introduced both internal and external to the GCM system.

The GCM is capable of learning and introducing self-critical, self-adjusting innovations through exposure to diverse and widely-varied stimuli forms. Decoherence problems as in quantum Turing-machine computers is not a problem but a necessary ingredient for cognitive invention and memory (reconstruction) retention. The formal basis for the GCM is consistent with observed neurobiology and with fundamental RTD (Reflexive topological Dynamics) physical theory and principles of emergency of order and structure from randomness.

Applications for the GCM include tasks in drug design, n-body cybernetics and control, and other challenges in pattern discovery within physical and life sciences, robotic navigation, and the study of psychosocioeconomic dispositions and trends for behavior of large populations.

## [7]

# Integrative Reflexive Information using NfL and fMRI with phenomenological monitoring for optimization of therapeutics in multiple sclerosis and related neurological diseases

#### Abstract

The role of nutrition, physical fitness and cognitive exercise as both prophylactic and therapeutic aids pertinent to neurological diseases, including those of autoimmune characteristics, has been demonstrated but has generally been inadequately studied in the context of patients outside of strict control groups, often undergoing a history of varying treatments and often subject to variations in medication and lifestyle changes. Correlation of environmental and behavioral factors, both in etiology of disease and in treatments leading to comparative cures, long-term remissions and/or reduced progressions, needs closer monitoring of both direct neurological function and patient-interactive behaviors. Limitations on types and frequencies of significant observation, such as offered in particular by neurofilament light (NfL) and functional MRI (fMRI) testing, has contributed to the current deficit in understanding how certain modalities of lifestyle, diet, and exercise affect progressions of diseases such as multiple sclerosis, dementia, and Parkinson's. A program involving coordination and control of frequent multi-sensor diagnostic imaging and chemical analysis in conjunction with lifestyle and activity monitoring using wearable and telepresence technologies has been designed for inclusion with pharmaceutical regimens within both clinical trials and sustained patient practice. This program is conducted in combination with nutrition, physical fitness, and psychological practices that complement administration of pharmaceutical treatments. The initial phase is focused upon incorporation of monthly and bimonthly examination using NfL and fMRI in addition to conventional MRI. Non-pharmaceutical therapeutics introduced include transcranial magnetic stimulation (TMS) and photobiomodulation (PBM) in addition to exercise and dietary practices previously shown to have bearing on both avoidance and mitigation of neurological disorders of these types. Initial patient populations are within RRMS and SPMS multiple sclerosis groups and with longterm engagement underway for next-phase studies.

[8]

# ICMC\_TBD

Immuno Cyto Molecular Computation/Communication and Topological Biomolecular Dynamics Research is focused upon two principle areas:

[a] VESID (Viral Entry Structural Integrity Disruption) – design of prophylactic and therapeutic medications for interruption and prevention of host cell entry processes via specific targeting of viral envelope topological structures. VESID is based upon topological models of cellular and viral signaling

and recognition which contribute to the mechanics of infection, inflammation and immune response. VESID is not a vaccine nor a form of medicine for advanced viral infection such as in deeper lung regions with consequent inflammation and other pathologies. VESID is a combination of proven and established compounds for oral and nasal administration, and it is principally a prophylactic and early-stage defense against a virus (first target, SARS-CoV-2 from COVID-19; others to follow later).

Related background information: <u>www.intelrenaissance.com</u> (see "VESID")

[b] Topological order and efficiency, conformal geometries, and biosoliton dynamics within autoimmune disorders, with special attention to multiple sclerosis, dementia and dysautonomia pathologies. The medical domain of special study is that of Neuronal Electrochemical Stressors disrupting biosolitonic molecular signaling. Such disruption progressively leads to accelerative demyelination and microtubule brittleness and fragmentation and the foundational stages of MS, AD and other ND disorders. We are also engaged in examination of similar topological-metabolic relationships and etiologies involved with such conditions as dysautonomia, POTS and MALS. We are finding evidence that disruption of normal autonomic regulatory functions is linked with chronic, sustained counter-active signaling, leading to a type of "double-bind" phenomenon of conflicting and mutually negating command and control actions between sympathetic and parasympathetic networks. Among the results can be spurious growth and decay of neural pathways which in turn by repeated conditioned response lead to disorders such as tachycardia and other dysfunctions of the autonomic system.

# [B]

Selected Foundational and Formative References

[1]

https://arxiv.org/pdf/1706.06283.pdf The Length of Excitable Knots – Sutcliffe, Maucher

[2]

https://arxiv.org/pdf/1908.08751.pdf Threaded rings that swim in excitable media – Sutcliffe, Maucher

[3]

https://arxiv.org/pdf/1912.10401.pdf Colonies of threaded rings in excitable media – Sutcliffe, Maucher

[4]

https://arxiv.org/pdf/1804.07064.pdf Dynamics of linked filaments in excitable media – Sutcliffe, Maucher

# [5]

# https://elifesciences.org/articles/59954

Drift and termination of spiral waves in optogenetically modified cardiac tissue at sub-threshold illumination Sayedeh Hussaini, Vishalini Venkatesan, Valentina Biasci, José M Romero Sepúlveda, Raul A Quiñonez Uribe, Leonardo Sacconi, Gil Bub, Claudia Richter, Valentin Krinski, Ulrich Parlitz, Rupamanjari Majumder, **Stefan Luther** 

(Earlier paper 2016 ----- https://experiments.springernature.com/articles/10.1007/978-1-4939-3512-3\_20)

[6]

https://www.americanscientist.org/article/heart-waves Heart Waves – Luther et al

[7]

https://cris.maastrichtuniversity.nl/ws/portalfiles/portal/619860/guid-4ec7d2d9-fedf-4754-a773b401d664a7c5-ASSET1.0.pdf Hybrid ablation treatment for AFIB

[8]

https://clinicaltrials.gov/ct2/show/NCT01147263 Palpitations and Tachycardia in Fibromyalgia Syndrome

[9]

https://www.ehlers-danlos.com/pdf/2017-Criteria-Nonexpert-PDFs/Cardiovascular-Autonomic-Dysfunction-inhEDS-Nonexpert-S.pdf

# [10]

https://link.springer.com/chapter/10.1007/978-3-030-05798-5\_11 Spiral Waves in the Heart – A. Panfilov (abstract only)

[11]

https://www.texasheart.org/heart-health/heart-information-center/topics/categories-of-arrhythmias/ Categories of Arrhythmias – Texas Heart Inst white paper

[12]

https://news.vumc.org/2021/10/07/study-finds-genetic-testing-useful-for-young-afib-patients/

# [13]

https://link.springer.com/article/10.1007/s11886-020-01434-7 Management of Arrhythmias Associated with COVID-19

[14]

https://www.mhs.net/services/cardiac-vascular/conditions/arrhythmia Memorial Healthcare System • 3501 Johnson Street • Hollywood, Florida

[15]

B.J. Caldwell, M.L. Trew, G.B. Sands, D.A. Hooks, I.J. LeGrice, B.H. Smaill, Three distinct directions of intramural activation reveal nonuniform side-to-side electrical coupling of ventricular myocytes. Circ. Arrhythm. Electrophysiol. 2, 433–440 (2009)CrossRefGoogle Scholar

[16]

J. Keener, J. Sneyd, Mathematical Physiology (Springer, New York, 1998)zbMATHGoogle Scholar

# [17]

M.A. Allessie, F.I.M. Bonke, F.J.G. Schopman, Circus movement in rabbit atrial muscle as a mechanism of tachycardia. III. The leading circle concept: a new model of circus movement in cardiac tissue without the involvement of an anatomical obstacle. Circ. Res. 41, 9–18 (1977)Google Scholar

# [18]

J.M. Davidenko, A.M. Pertsov, R. Salomonsz, W. Baxter, J. Jalife, Stationary and drifting spiral waves of excitation in isolated cardiac muscle. Nature 355, 349–351 (1992)ADSCrossRefGoogle Scholar

# [19]

S.M. Narayan, D.E. Krummen, K. Shivkumar, P. Clopton, W.-J. Rappel, J.M. Miller, Treatment of atrial fibrillation by the ablation of localized sources. J. Am. Coll. Cardiol. 60, 628–636 (2012)CrossRefGoogle Scholar

[20]

R.A. Gray, A.M. Pertsov, J. Jalife, Spatial and temporal organization during cardiac fibrillation. Nature 392, 75–78 (1998) ADSCrossRefGoogle Scholar

# [21]

S. Pandit, J. Jalife, Rotors and the dynamics of cardiac fibrillation. Circ. Res. 112, 849–862 (2013)CrossRefGoogle Scholar

# [22]

E. Bourgeois, H. Reeves, J. Walcott, J. Rogers, Panoramic optical mapping shows wavebreak at a consistent anatomical site at the onset of ventricular fibrillation. Cardiovasc. Res. 93, 272–279 (2012)CrossRefGoogle Scholar

# [23]

G. Bub, L. Glass, N. Publicover, A. Shrier, Bursting calcium rotors in cultured cardiac myocyte monolayers. Proc. Natl. Acad. Sci. USA 95, 10283–10287 (1998)ADSCrossRefGoogle Scholar

# [24]

L. Hou, M. Deo, P. Furspan, S. Pandit, S. Mironov, D. Auerbach, Q. Gong, Z. Zhou, O. Berenfeld, J. Jalife, A major role for hERG in determining frequency of reentry in neonatal rat ventricular myocyte monolayer. Circ. Res. 107, 1503–1511 (2010)CrossRefGoogle Scholar

# [25]

I. Feola, L. Volkers, R. Majumder, A. Teplenin, M. Schalij, A. Panfilov, A. de Vries, D. Pijnappels, Localized optogenetic targeting of rotors in atrial cardiomyocyte monolayers. Circ. Arrhythm. Electrophysiol. 10, e005591 (2017)CrossRefGoogle Scholar

#### [26]

W.-J. Rappel, J. Zaman, S. Narayan, Mechanisms for the termination of atrial fibrillation by localized ablation: computational and clinical studies. Circ. Arrhythm. Electrophys. 8, 1325–1333 (2015)CrossRefGoogle Scholar

# [27]

R. Burton, A. Klimas, C. Ambrosi, J. Tomek, A. Corbett, E. Entcheva, G. Bub, Optical control of excitation waves in cardiac tissue. Nat. Photonics 9, 813–816 (2015)ADSCrossRefGoogle Scholar

#### [28]

**A.V. Panfilov,** Theory of reentry, in Cardiac Electrophysiology: From Cell to Bedside, ed. by D.P. Zipes, J. Jalife, 5th edn. (Saunders Philadelphia 2009), pp. 329–337Google Scholar

#### [29]

**A.V. Panfilov**, H. Dierckx, Theory of rotors and arrhythmias, in Cardiac Electrophysiology: From Cell to Bedside, ed. by D.P. Zipes, J. Jalife, W.Stevenson, 7th edn. (Elsevier Philadelphia 2018), pp. 325–334Google Scholar

# [30]

https://journals.plos.org/ploscompbiol/article?id=10.1371/journal.pcbi.1009476

Pulsed low-energy stimulation initiates electric turbulence in cardiac tissue

Rupamanjari Majumder ,

- •Sayedeh Hussaini,
- •Vladimir S. Zykov,
- •Stefan Luther,
- •Eberhard Bodenschatz

# [31]

https://my.clevelandclinic.org/health/diseases/17644-women--abnormal-heart-beats

[32]

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7906564/pdf/icrm-12-4385.pdf

Supraventricular Tachycardia and Postural Orthostatic Tachycardia Syndrome Overlap: A Retrospective Study **ZEID NESHEIWAT**, do, 1 AROOGE TOWHEED, md, 2 JOSEPH EID, bs, 1 JEREMY TOMCHO, md, 1 PINANG SHASTRI, do, 1 CARSON OOSTRA, md, 3 BEVERLY KARABIN, phd, 3 and **BLAIR GRUBB**,

[33]

https://www.researchgate.net/scientific-contributions/Ulrich-Parlitz-8055972

[34]

https://aip.scitation.org/doi/abs/10.1063/1.5022276?journalCode=cha Observing spatio-temporal dynamics of excitable media using reservoir computing Chaos **28**, 043118 (2018); https://doi.org/10.1063/1.5022276 Roland S. Zimmermann1,2 and Ulrich Parlitz1,2,3 Roland S. Zimmermann1,2 and Ulrich Parlitz1,2,3

[35]

https://pubmed.ncbi.nlm.nih.gov/33502313/

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7840178/

**Drift and termination of spiral waves in optogenetically modified cardiac tissue at sub-threshold illumination** Sayedeh Hussaini 1 2 3, Vishalini Venkatesan 1 4, Valentina Biasci 5 6, José M Romero Sepúlveda 7, Raul A Quiñonez Uribe 1 3, Leonardo Sacconi 5 9, Gil Bub 7, Claudia Richter 1 3 4, Valentin Krinski 1 3 10, Ulrich Parlitz 1 2 3, Rupamanjari Majumder 1 3, Stefan Luther 1 2 3 11

[36]

https://www.frontiersin.org/articles/10.3389/fams.2020.616584/full

Reconstructing Complex Cardiac Excitation Waves From Incomplete Data Using Echo State Networks and Convolutional Autoencoders

Sebastian Herzog1,2, Roland S. Zimmermann3,4, Johannes Abele1,4, Stefan Luther1,5,6 and Ulrich Parlitz1,4,6\*

[37]

https://www.readcube.com/articles/10.3389/fphy.2018.00039

<u>Spatiotemporal</u> Permutation Entropy as Measure for Cardiac Arrhythmia Complexity Schlemmer, Berg, Lilienkamp, Luter, Parlitz

#### [38]

https://pubmed.ncbi.nlm.nih.gov/33597891/

https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7882607/pdf/fphys-11-614565.pdf

Extracting Robust Biomarkers From Multichannel EEG Time Series Using Nonlinear Dimensionality Reduction Applied to Ordinal Pattern Statistics and Spectral Quantities

Inga Kottlarz 1 2, Sebastian Berg 1, Diana Toscano-Tejeida 3, Iris Steinmann 3, Mathias Bähr 4, Stefan Luther 1 5 6, Melanie Wilke 3 7, Ulrich Parlitz 1 2 6, Alexander Schlemmer 1 6

[38]

https://www.meta.org/papers/critical-mass-hypothesis-revisited-role-of/16113075 https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3644506/pdf/

# Critical mass hypothesis revisited: role of dynamical wave stability in spontaneous termination of cardiac fibrillation --- Zhilin Qu

[40]

http://www.bmp.ds.mpg.de/authors/ulrich-parlitz/ List of pubs, Ulrich Parlitz

[41]

https://www.newswise.com/articles/reconstructing-what-makes-us-tic

Reconstructing What Makes Us Tick

A new technique drawing on echo state networks fills in the gaps to simulate how arrhythmic electrical signals go chaotic.

[42]

https://journals.plos.org/plosone/article/comments?id=10.1371/journal.pone.0221401

Spontaneous termination of chaotic spiral wave dynamics in human cardiac ion channel models Marcel Aron1,2, Sebastian Herzog1,2,3,4, Ulrich Parlitz1,2,5, Stefan Luther1,2,5,6,

Thomas LilienkampID1,5,7\*

1 Max Planck Institute for Dynamics and Self-Organization, Go¨ttingen, Germany, 2 Institut fu¨r Dynamik

komplexer Systeme, Georg-August-Universita<sup>®</sup>t Go<sup>®</sup>ttingen, Go<sup>®</sup>ttingen, Germany, 3 Third Institute of Physics,

Universita"t Go"ttingen, Friedrich-Hund Platz 1, Go"ttingen, Germany, 4 Bernstein Center for Computational

Neuroscience, Friedrich-Hund Platz 1, Go¨ttingen, Germany, 5 DZHK (German Centre for Cardiovascular

Research), Partner Site Go¨ttingen, Go¨ttingen, Germany, 6 Department of Pharmacology and Toxicology,

University Medical Center Go"ttingen, Go"ttingen, Germany, 7 Department of Cardiology and Pneumology,

University Medical Center Go<sup>°</sup>ttingen, Go<sup>°</sup>ttingen, Germany

#### [43] https://aip.scitation.org/doi/pdf/10.1063/5.0011506 Terminating transient chaos in spatially extended systems T Lilienkamp, U Parlitz1,2,3

#### [44]

https://www.oatext.com/tachycardia-induced-cardiomyopathy-a-review-of-literature-on-clinical-status-andmeta-analysis-of-diagnosis-and-clinical-management-method.php

Tachycardia-induced cardiomyopathy: a review of literature on clinical status and meta-analysis of diagnosis and clinical management method

## [45]

Kawamura M, Badhwar N, Vedantham V, Tseng ZH, Lee BK, et al (2014) Coupling Interval Dispersion and Body Mass Index Are Independent Predictors of Idiopathic Premature Ventricular Complex-Induced Cardiomyopathy. *Journal of Cardiovascular Electrophysiology* 25: 756-762.

## [46]

Nia AM, Gassanov N, Dahlem KM, Caglayan E, Hellmich M, et al (2011) Diagnostic accuracy of NT-proBNP ratio (BNP-R) for early diagnosis of tachycardia-mediated cardiomyopathy: a pilot study. *Clinical Research in Cardiology* 100: 887-896.

# [47]

Okada A, Nakajima I, Morita Y, Inoue YY, Kamakura T, et al (2016) Diagnostic value of right ventricular dysfunction in tachycardia-induced cardiomyopathy using cardiac magnetic resonance imaging. *Circ J* 80: 2141-2148. [Crossref]

# [48]

https://www.ahajournals.org/doi/epub/10.1161/CIRCULATIONAHA.118.036143 pdf Inflammation, Inflammasome Activation, and Atrial Fibrillation Evidence for Causation and New Therapeutic Targets Article, see p 2227 David R. Van Wagoner, PhD and Mina K. Chung, MD

[49]

https://pubmed.ncbi.nlm.nih.gov/32213631/ https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7234276/pdf/nihms-1566092.pdf Noninvasive localization of cardiac arrhythmias using electromechanical wave imaging Wan et al, Columbia U

[50]

https://reader.elsevier.com/reader/sd/pii/S1566070221000588? token=90992E10A1AE6DB3774DADD6293FAB81C39629EB2DCCBD60E5D5E8843840136D95044389414AD40DE E2B9DD066E7E20F&originRegion=us-east-1&originCreation=20211016014004 Postural orthostatic tachycardia syndrome (POTS): State of the science and clinical care from a 2019 National Institutes of Health Expert Consensus Meeting - Part 1

StevenVernino a Kate M.Bourne b Lauren E.Stiles cd Blair P.Grubb e ArturFedorowski fg Julian M.Stewart h Amy C.Arnold ij Laura A.Pace k JonasAxelsson I Jeffrey R.Boris m Jeffrey P.Moak n Brent P.Goodman o Kamal R.Chémali p Tae H.Chung q David S.Goldstein r AndreDiedrich s Mitchell G.Miglis t Melissa M.Cortez u Amanda J.Miller i RoyFreeman vw ItaloBiaggioni x Peter C.Rowe y Robert S.Sheldon b Cyndya A.Shibao z David M.Systrom aa Glen A.Cook ab Taylor A.Doherty ac Hasan I.Abdallah ad AnilDarbari ae Satish R.Raj bj

# [51]

https://reader.elsevier.com/reader/sd/pii/S1566070221000667? token=2262D4721594A57B358642FBA3F682A16A4C8347E7F81C01BE89BCD8DB5B2D7AF44F2EBE134C958080 9DDA42D1322F92&originRegion=us-east-1&originCreation=20211016013604 Postural orthostatic tachycardia syndrome (POTS): Priorities for POTS care and research from a 2019 National Institutes of Health Expert Consensus Meeting – Part 2

[52]

https://www.nejm.org/doi/full/10.1056/NEJMoa2019422

Early Rhythm-Control Therapy in Patients with Atrial Fibrillation

Paulus Kirchhof, M.D., A. John Camm, M.D., Andreas Goette, M.D., Axel Brandes, M.D., Lars Eckardt, M.D.,

•Arif Elvan, M.D., Thomas Fetsch, M.D., Isabelle C. van Gelder, M.D., Doreen Haase, Ph.D.,

•Laurent M. Haegeli, M.D., Frank Hamann, M.D., Hein Heidbüchel, M.D., Ph.D.,

[53]

https://scholar.google.com/scholar\_url?url=http://citeseerx.ist.psu.edu/viewdoc/download%3Fdoi

<u>%3D10.1.1.944.1970%26rep%3Drep1%26type</u>

<u>%3Dpdf&hl=en&sa=X&ei=FuNuYZ\_3DvWO6rQPoYinyAM&scisig=AAGBfm3kNEhpIA\_v3yL5rbocMy76dOQjPA&oi</u> <u>=scholarr</u>

Atrial Fibrillation in Mainland China: Epidemiology and Current Management

Shu Zhang <a href="mailto:shuzhang@yahoo.com">shuzhang@yahoo.com</a>

[54]

https://downloads.hindawi.com/journals/ecam/2017/1381732.pdf

Application of Traditional Chinese Medicine in Treatment of Atrial Fibrillation

TCM forms of treatment

Jie Wang, corresp. Author wangjie0103@126.com

[55]

## https://heart.bmj.com/content/107/7/535

Atrial fibrillation prevalence, awareness and management in a nationwide survey of adults in China

Multiple authors.

Dr Changsheng Ma, Department of Cardiology, Beijing Anzhen Hospital, Capital Medical University, Beijing 100029, China; <u>chshma@vip.sina.com</u>

[56]

http://eng.med.wanfangdata.com.cn/JournalDetail.aspx?qid=zhxlscxzz Journal and association

# <u>[57]</u>

https://www.ahajournals.org/doi/epub/10.1161/CIRCRESAHA.116.308063

Chinese Basic Cardiovascular Research in Transition Xinyang Hu, Huang-Tian Yang, Yuangui Zhu,

# [58]

https://www.researchgate.net/publication/289022018\_Cardiac\_arrhythmia\_in\_China Cardiac arrhythmia in China

• September 2014

• Chinese Medical Journal 127:71-75

•S. Zhang

•X.H. Fan

•X.H. Ning

[59]

https://www.jstage.jst.go.jp/article/jea/advpub/0/advpub\_JE2008021/\_article/-char/ja/

#### 2014 article or maybe 2008?

An Epidemiological Study on the Prevalence of Atrial Fibrillation in the Chinese Population of Mainland China Ziqiang Zhou, Dayi Hu

## [60]

https://www.sciencedirect.com/science/article/pii/S2095882X20300451 https://reader.elsevier.com/reader/sd/pii/S2095882X20300451? token=FECAFBCD7C21C8FA2F9D11E24D2F173E556D82D63A16A3C7E02896D436562B32514B46F7019CBFB024 E9697208319E42&originRegion=us-east-1&originCreation=20211020023601

Cardiomyopathies in China: A 2018–2019 state-of-the-art review

#### Tian-RuiHuaShu-YangZhang

[61]

https://clinicaltrials.gov/ct2/show/NCT04358029

#### Cardiac Arrhythmias In Patients With Coronavirus Disease (COVID-19)

Vivek Reddy et al, Icahn School of Medicine at Mount Sinai

[62]

https://www.jacc.org/doi/abs/10.1016/j.jacc.2019.04.036

https://www.jacc.org/doi/pdf/10.1016/j.jacc.2019.04.036

Epidemiology of Cardiovascular Disease in China and Opportunities for Improvement: *JACC* International JACC International

<u>Xin Du</u>,

Anushka Patel

Craig S. Anderson

Jianzeng Dong

**Changsheng Ma** 

J Am Coll Cardiol. 2019 Jun, 73 (24) 3135–3147

[63]

#### https://www.sads.org/International-Partners/China#.YW7ojWkpA0F

#### Leading the Way to Save More Lives Around the World International Partner: China

[64]

#### https://pubmed.ncbi.nlm.nih.gov/30049467/

#### The Disease Burden of Atrial Fibrillation in China from a National Cross-sectional Survey

Zengwu Wang 1, Zuo Chen 2, Xin Wang 2, Linfeng Zhang 2, Suning Li 2, Ye Tian 2, Lan Shao 2, Hao Hu 3, Runlin Gao 4, for China Hypertension Survey Group

#### [65]

#### https://academic.oup.com/cardiovascres/article/115/3/e37/5346789?login=true

https://watermark.silverchair.com/cvy245.pdf?

token=AQECAHi208BE49Ooan9kkhW\_Ercy7Dm3ZL\_9Cf3qfKAc485ysgAAAtQwggLQBgkqhkiG9w0BBwagggLBMIICvQIBADCCArYGCSqGSIb 3DQEHATAeBglghkgBZQMEAS4wEQQM7Fk3C9hUz-n5IIFGAgEQgIIChyUbZ\_Lbu82mKsb1-0IY1h2JF-6mmuT0ow\_B2K11RCG-0fIBv-EMEfnwatIAw2v82XM3dEv5FdLnkXhSc\_HOBG9PW-kB7TAmN-

rlyG0fbwsd5FjWg1v5\_qzQ2QqTX1XKoZvhzoaoJLucC7xS8Rt1yGFoEVaGMl6eSil03orGoIzETd8iqbfVDC4zPDTFFfNYwe43mrzgA4hnfvzZ2i7c 1rM8-EdOSRwCAcIrNRhYCK4BvobboEmOwvnZs-

ko1vqq4cEcG6vvilesKNopBjP8hr8lE9PMa4X8Y2HHCi8Ua0DzLldeyOgQzUR798JkAvVbWZNhs3YK9ylK4yjnE4ks0mmoCMgRzAbMy8ebHj4lJ 0R5vpQsrntSCYWfICIsB5gh\_otplrAfPDlyEbszSUasKPG-4Edkd8LrfivmpS\_kOjr2LQAEtaM8INHjNhihD-

csoHph\_gio2ED3P34K\_Wn8JJDCBL1uy0wqUWdrgCLBsVC\_LbsGcmhtqIngFK7ltTH0Rfp7gXxIIWsIPiAi6PwVafJp6OIgBZSMIBMJ-

QEUBiaiH1n8YRaZmD1duOzQuEOnTiFDT-aiXAxYtCHZ5Jy58RnY\_MmpfgQZ-ZXr0fZ7mJ9am4nBw\_kB0ODS-LcJwCKBg-

LcyMD\_yMg4beFzYAsJi36MNFQRQLtl\_H9edNzp76ZnelTgedSvaxYEsznBiF3VdWS1ul9-Zxm\_dlg83cjPbmjV93-

no70In1ssmTCVK\_oOzz5TqsLHitY8N7FewsqDQ4pRjjp7b5hCjM71OCPISr3FNp5JnlzapgmpGzb3RyL-nbl7nFTzoZYGJhgL2oR6XfjhyGWgwSfmG-KYIAiM5AexVj6HpFZ

Recent Cardiovascular Research highlights from China Pingjin Gao\* Department of Hypertension, State Key Laboratory of Medical Genomics, Shanghai Key Laboratory of Hypertension, Ruijin Hospital and Shanghai Institute of Hypertension, Shanghai Jiao Tong University School of Medicine, Shanghai, China

Pingjin Gao gaopingjin@sibs.ac.cn

[66]

https://www.jacc.org/doi/pdf/10.1016/j.jacc.2016.11.021

Autonomic Tone and Atrial Fibrillation Jeffrey J. Goldberger, MD, Raul D. Mitrani, MD

[67]

https://www.vumc.org/autonomic-dysfunction-center/vanderbilt-autonomic-dysfunction

[68]

https://www.ahajournals.org/doi/epub/10.1161/01.CIR.0000036015.54619.B6

Cardiac Sympathetic Dysautonomia in Chronic Orthostatic Intolerance Syndromes 2002

D. Goldstein, C. Holmes, S. Frank, R. Dendi, R. Cannonlil, Y. Sharabi, M. Esler, G. Eisenhofer

[69]

https://www.ahajournals.org/doi/epub/10.1161/CIRCRESAHA.113.302549 Role of the Autonomic Nervous System in Modulating Cardiac Arrhythmias 2014 Mark J. Shen and Douglas P. Zipes

[70]

# https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5260487/pdf/nihms-830730.pdf

Cardiac Autonomic Dysfunction and Incidence of Atrial Fibrillation in a Large Population-Based Cohort <u>Sunil K. Agarwal</u>, MD, MPH, PHD,a,b <u>Faye L. Norby</u>, MS, MPH,c <u>Eric A. Whitsel</u>, MD, MPH,d <u>Elsayed Z. Soliman</u>, MD, MSc, MS,e <u>Lin Y. Chen</u>, MD, MSc,c <u>Laura R. Loehr</u>, MD, MSc, PhD,d <u>Valentin Fuster</u>, MD, PhD,a <u>Gerardo</u> <u>Heiss</u>, MD, MSc, PhD,d <u>Josef Coresh</u>, MD, PhD,b and <u>Alvaro Alonso</u>, MD, PhDf

[71]

# https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7533131/pdf/jafib-13-02403.pdf

Defining Cardiac Dysautonomia – Different Types, Overlap Syndromes; Case-based Presentations Suzanne Feigofsky1 and Artur Fedorowski2,3 1 Iowa Heart Center, Carroll, Iowa 51401, USA. 2 Department of Clinical Sciences, Lund University, 214 28 Malmö, Sweden. 3 Department of Cardiology, Skåne University Hospital, 214 28 Malmö, Sweden.

Contacts Inquiries should be addressed to Dr. Martin Joseph Dudziak contact@tdyn.org martinjoseph@tdyn.org martin.dudziak@gmail.com +1 (231) 492-8301 +1 (505) 926-1399 messaging